



Grounding Copper Flexible Busbar Connectors Link OEM

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Chemical Composition: Cu-Ni
- Corrosion Resistance: Excellent
- Density: 8.9 G/cm3
- Electrical Conductivity: $\leq 20\%$ IACS
- Elongation: 30-40%
- Formability: Good
- Hardness: High
- Heat Treatment: Annealing
- Machinability: Good
- Melting Point: 1453-1475°C
- Name: Copper Connector
- Tensile Strength: 400-550 MPa
- Thermal Conductivity: 50-70 W/mK
- Weldability: Good
- Yield Strength: 200-350 MPa



More Images



for more products please visit us on copper-solid.com

Product Description

Grounding Copper Flexible Busbar Connectors Link OEM

Other attributes

Place of Origin	China
Model Number	Lifepo4 Batteries Link Bar Busbar Flexible Connection Bar
Product Name	busbars laminated copper bus bars connector
Size	90*20*3mm
screw	M6/ M8/Steel/ Zinc Plated

Packaging & delivery

Selling Units:	Single item
Single package size:	9X2X0.3 cm
Single gross weight:	0.090 kg
Package Type:	Use high hardness custom sponge to strengthen the battery, five layers of dangerous goods export corrugated carton, to ensure free transportation.



Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China

